



Software by Design

Applications Nextcloud

Surveillance des journaux et santé de l'instance

HealthCheck

Manuel utilisateur

Surveillance du journal, tableau de bord santé et notifications.

Pour les administrateurs d'application et les administrateurs système Nextcloud.

Version de l'application

1.3.24

Langue

Français

Date

10 septembre 2026

Table des matières

Introduction	ii
1 Rôles et droits	1
1.1 Navigation après l'ouverture	1
1.2 Accès refusé	1
1.3 Matrice des droits	1
1.4 Limites strictes	2
1.5 Vérifier votre rôle	2
2 Premiers pas	2
2.1 Ensuite	2
3 Santé	3
3.1 Résumé et Vérifier à nouveau	3
3.2 Cartes de contrôle	3
3.3 Avertissements sur la page	3
3.4 Section Surveillance	4
4 Journaux	4
4.1 Quel journal ?	4
4.2 Voir une copie plus ancienne	5
4.3 Filtrer et chercher	5
4.4 Zone de danger (administrateurs Nextcloud uniquement)	5
5 Notifications	6
5.1 E-mail	6
5.2 Slack et webhook	6
5.3 Autres options	7
5.4 Canal désactivé et secrets	7
6 Règles	7
6.1 Quelle gravité ? / Quelle fréquence ?	7
6.2 Filtres avancés	7
7 Personnes	8
7.1 Qui peut ouvrir HealthCheck ?	8
7.2 Gérer les administrateurs d'application	8
7.3 Vue en tant qu'administrateur d'application	8
8 Nous soutenir	8
9 Erreurs, FAQ et glossaire	9
9.1 Messages fréquents	9
9.2 FAQ	9
9.3 Codes d'erreur API (pour les administrateurs)	10
9.4 Glossaire	10
10 Accessibilité	10
10.1 Structure et focus	10
10.2 Statut sans la seule couleur	10
10.3 Aide et retours	11
À propos de Software by Design	12
Assistance & contribution	12
Index	14

Introduction

HealthCheck (ID d'application `logcheck`) surveille le fichier journal Nextcloud et informe les administrateurs habilités des nouvelles erreurs. La page **Santé** résume l'état en sept cartes de contrôle : alertes de journal, tâches d'arrière-plan, PHP, base de données, disque de données, HTTPS et mises à jour. L'application ne remplace ni l'administration Nextcloud ni un SIEM — elle rend les erreurs visibles avant qu'elles ne disparaissent.

Prérequis : journaux fichiers (`log_type = file`); sur plusieurs serveurs le même fichier partagé, sinon **Surveillance impossible**; cron Nextcloud actif pour les digests et **Vérifier à nouveau**. L'application web est gratuite (AGPL).

Ce que vous trouverez ici

- Rôles, **Non autorisé** et administrateurs d'application sous **Personnes** (chapitres 1, 7).
- Mise en service minimale : tester un canal, **Watch log file** (chapitre 2).
- Quotidien : **Santé**, **Journaux**, **Notifications**, **Règles**.
- Erreurs, FAQ, glossaire et accessibilité.

Public

- **Admin de l'app** — Santé, journaux, notifications et règles après inscription sous **Personnes**.
- **Administrateur Nextcloud** — en plus gestion des personnes, téléchargement, **Danger zone**, extraits et webhooks privés.

Tous les autres ne voient que **Non autorisé** avec **Retour à Nextcloud**.

Version et captures

HealthCheck **1.3.24** (10 septembre 2026). Captures depuis `http://localhost:8081` : **HTTPS** peut afficher **Pas de HTTPS**, **Mises à jour Pas encore vérifié** — instance de laboratoire.

Aperçu Santé

La page d'accueil **Santé** résume alertes et cartes :



Aperçu **Santé** (laboratoire).

1 Rôles et droits

HealthCheck n'offre aucun accès ouvert à tous les utilisateurs. Seuls deux rôles peuvent ouvrir l'application — contrôle côté serveur, pas seulement masquage dans l'interface.

Administrateur Nextcloud Member of the Nextcloud `admin` group. The sidebar badge shows **Administrateur Nextcloud**. This role may also manage app admins, download the full log file, use the **Danger zone**, and unlock log excerpts or private webhooks.

Admin de l'app A user a Nextcloud administrator listed under **Personnes**. Badge : **Admin de l'app**. App admins use Health, Logs, Notifications and Rules like administrators — without the admin-only actions above.

1.1 Navigation après l'ouverture


Après le démarrage, les personnes habilitées voient deux groupes dans la barre latérale :

- **Surveillance : Santé, Journaux**
- **Paramètres : Notifications, Règles, Personnes, Soutenez-nous**

At the bottom of the bar, **Aide** opens feedback paths (**Signaler un problème**, **Proposer une amélioration**). The role badge next to the app name shows immediately whether you work as Nextcloud admin or App admin.

1.2 Accès refusé

Tous les autres obtiennent la page **Non autorisé** : rappel que seuls les administrateurs Nextcloud et les administrateurs d'application HealthCheck peuvent utiliser l'application, plus le bouton **Retour à Nextcloud**. Il n'existe ni mode invité ni partage en lecture seule.



Non autorisé page for users without entitlement.

1.3 Matrice des droits

Capability	App	NC
Open the app (Health, Logs, Settings)	yes	yes
Watch the log file ; save alerts and rules	yes	yes
View, filter, search and copy logs	yes	yes
Add or remove app admins	no	yes
Absolute log path ; download full file	no	yes
Danger zone (start fresh / delete / remove copy)	no	yes
Log excerpts and private webhook addresses	no	yes

App = **Admin de l'app** ; NC = **Administrateur Nextcloud**.

1.4 Limites strictes

- Open access (`open/all/public`) is forbidden server-side — even if someone calls the API directly.
- The app-admin list is capped at 100 entries.
- Unauthorised API responses return `LCK_FORBIDDEN` (see chapter 9).

Under **Personnes**, list only people who truly manage instance logs and alert channels. Remove app admins when the task ends. The read-only App admin view is shown in chapter 7.

1.5 Vérifier votre rôle

1. Open HealthCheck and read the badge beside the app name (**Administrateur Nextcloud** or **Admin de l'app**).
2. Under **Personnes** : search field and **Enregistrer** only as Nextcloud admin ; as App admin the read-only hint appears.
3. Under **Journaux** : **Danger zone** and **Download full file** are missing for App admins.
4. Under **Notifications** → **Options avancées** : log excerpts and private webhooks only for Nextcloud admins.

If the badge is missing and **Non autorisé** appears, entitlement is missing — not the network connection. API calls without rights return `LCK_FORBIDDEN`.

2 Premiers pas

En quelques étapes, vous voyez la santé de l'instance, testez au moins un canal de notification et activez la surveillance du fichier journal.

1. Ouvrez **HealthCheck** dans la barre d'applications Nextcloud.
2. Sous **Santé**, examinez le résumé et les sept cartes de contrôle (chapitre 3).
3. Sous **Notifications**, configurez au moins un canal — en général **E-mail** — et cliquez sur **Envoyer un test et activer** (chapitre 5).
4. Sur la page Santé, activez **Watch log file**.
5. Lorsque la liste de contrôle apparaît (**Set up at least one alert channel, Watch log file is on**), utilisez **Set up alerts** si aucun canal n'est encore actif.



Santé with navigation **Surveillance** / **Paramètres** and the **Watch log file** switch.

2.1 Ensuite

- Under **Règles**, set severity and digest timing (chapter 6).
- Under **Journaux**, review current entries and filters (chapter 4).
- As Nextcloud admin, add further **Admins de l'app** under **Personnes** (chapter 7).

Tant que la surveillance est désactivée ou qu'aucun canal n'est actif, les alertes restent silencieuses — même si les cartes sous **Santé** semblent correctes.

3 Santé


The **Santé** page (nav group **Surveillance**) shows instance health at a glance : log alerts, background jobs, PHP, database, data disk, HTTPS and updates.

3.1 Résumé et Vérifier à nouveau

A status badge appears at the top. Possible states (with text, not colour alone) :

- **Tout semble correct**
- **Attention requise**
- **Critique**
- **Inconnu**

With **Vérifier à nouveau** you start a background run immediately and refresh cards plus watching status. The control appears only when file-based logs and a valid topology are present.



Summary and check cards on **Santé**.

3.2 Cartes de contrôle

Alertes de journal Whether log watching is running and alerts are ready.

Tâches d'arrière-plan State of Nextcloud cron / background jobs.

PHP Detected PHP version and important limits (e.g. memory).

Base de données Whether the database responds.

Disque de données Free space in the data directory.

HTTPS Whether the instance URL uses HTTPS.

Mises à jour Whether Nextcloud has already cached an update check.

Cards may show action buttons (for example open admin or security settings). Those lead into Nextcloud administration outside HealthCheck.

3.3 Avertissements sur la page

Surveillance impossible HealthCheck supports only file-based logs (`log_type = file`). The detected log type is shown.

Topology Also **Surveillance impossible** when HealthCheck notices a different server. Several servers need one shared log file — or you turn watching off.

Stuck checks Hint that background checks look stuck : try **Vérifier à nouveau**, or ask the host about Nextcloud cron. The badge may show **Contrôle nécessaire**.

Channel secrets If stored secrets cannot be read, a warning with link **Gérer les alertes** appears. Re-enter webhook URLs.

3.4 Section Surveillance

The **Surveillance** block controls whether HealthCheck looks for new errors in the background. Watching the log file alone does not send notifications — you need at least one active channel under **Notifications**. After enabling : activate a channel with **Envoyer un test et activer** and tick the checklist on this page.

- Switch **Watch log file**.
- Status badge : **Désactivé**, **Surveillance**, **Surveillance impossible**, **Contrôle nécessaire** or **Attention requise**.
- When watching is on but alerts are not ready : checklist with **Set up at least one alert channel**, **Watch log file is on** and button **Set up alerts** ; below that only the **Journaux** link (not also **Gérer les alertes** — one destination, one button).
- When watching is on and alerts are ready : **Gérer les alertes** and **Journaux**.
- When watching hits an error state : **Try again** and optionally **Gérer les alertes**.
- After successful runs : **Dernière vérification** with timestamp.



Surveillance section with switch **Watch log file**.

4 Journaux


Sous **Journaux**, vous lisez et recherchez le fichier journal Nextcloud. Seul le fichier actuel est surveillé pour les alertes.

4.1 Quel journal ?

The **Quel journal ?** selector lists available files :

- **Journal actuel (surveillé pour les alertes)** — the live file,
- **Copie enregistrée** — e.g. after **Nouveau journal**,
- **Copie plus ancienne** — further rotated files.

No file yet : *No log file yet. Nextcloud creates it when something is logged.* As Nextcloud admin, the absolute **Chemin** appears under the list.



Journaux : file picker, filters and viewer.

4.2 Voir une copie plus ancienne

For an older or saved copy, a note explains that alerts only watch the current log. Nextcloud admins can **Supprimer cette copie** — confirmation word `DELETE_COPY`.

4.3 Filtrer et chercher

- Group **Filter what you see** with hint *Does not change alert rules*.
- Chips : **All levels**, **Warnings+**, **Errors+**.
- Search : field **Chercher dans le journal...**, button **Chercher** (literal search in the recent part of the file).
- **Recharger** refreshes the current excerpt ; **Copier les lignes affichées** copies to the clipboard.


The newest part of the file is shown. Search also covers only that recent part. Under **More** : **Show raw lines** ; Nextcloud admin only : **Download full file**. When older content is available, **Load older lines** appears ; with an empty filter result, **Show all levels** helps.

4.4 Zone de danger (administrateurs Nextcloud uniquement)

In the **Danger zone** :

- **Nouveau journal** — set the old file aside and start an empty live file (confirm `START_FRESH`),
- **Supprimer le fichier journal** — delete completely (confirm `DELETE`).

In the confirmation dialog : field **Confirmation**, buttons **Annuler** and **Confirmer**. If the file is not writable from here, a hint asks the host for file permissions.



Danger zone with **Nouveau journal** and **Supprimer le fichier journal**.

If the backend is not file-based, **Impossible d'ouvrir les journaux** appears. On read errors, check file permissions — the same cause can block download and the danger zone ; switch back to **Journal actuel (surveillé pour les alertes)** if needed. For day-to-day use, **Errors+** plus a


short search usually suffice ; raw lines and full download are diagnostic aids — alerts still depend only on the watch switch, active channels and the rules.

5 Notifications

Sous **Notifications**, vous choisissez comment HealthCheck signale les nouvelles erreurs. Enregistrez avec **Enregistrer**. Par canal, activez l'envoi avec **Envoyer un test et activer** — seulement ensuite le canal est prêt.

5.1 E-mail

In the **E-mail** section, turn on **Envoyer des alertes par e-mail**, enter recipients comma-separated in **Recipients**, and confirm with **Envoyer un test et activer**. Without a successful test the channel stays inactive even if recipients are already listed.



E-mail section under **Notifications**.

5.2 Slack et webhook


In the **Slack et webhook** disclosure you also configure Slack and a generic webhook.

5.2.1 Slack

Turn on **Envoyer des alertes Slack** and enter the **URL du webhook Slack**. An empty URL field keeps the address already stored. With a saved URL you see **URL enregistrée** (masked) and optionally **Effacer l'URL enregistrée**. Then **Envoyer un test et activer**.

5.2.2 Webhook

The same sequence applies to **Envoyer des alertes webhook** and **URL du webhook**, including **URL enregistrée** / **Effacer l'URL enregistrée** and the test button.



Slack et webhook and **Options avancées**.

5.3 Autres options

Under **Options avancées** you enable **Notifications dans l'app** for entitled users — also with **Envoyer un test et activer**.

Only Nextcloud admins additionally see :

- **Inclure de courts extraits de journal** — warning about passwords, tokens and personal data ; to enable, type CONFIRM in **Saisissez CONFIRM pour activer les extraits**,
- **Autoriser les adresses webhook du réseau privé** — off by default ; only when you knowingly need it.

5.4 Canal désactivé et secrets

After repeated failures a channel may disable itself : hint *Channel disabled after repeated failures*. and button **Réactiver et tester**. Until a new test succeeds, messages on that channel stay off. If stored channel secrets cannot be read, the same warning as on the Health page appears — re-enter webhook URLs and save ; the link **Gérer les alertes** leads here.

The UI works channel by channel with **Envoyer un test et activer**. A separate **Activer les alertes** button is not visible in the current web UI even though the API endpoint exists.

6 Règles

Sous **Règles**, vous contrôlez quand et à quelle fréquence les alertes partent. **Enregistrer** applique les réglages. Les filtres d'affichage sous **Journaux** ne modifient pas ces règles — ils concernent uniquement la vue.


6.1 Quelle gravité ? / Quelle fréquence ?

Group **Quel niveau de gravité ?** : **Erreurs** (level 3) or **Avertissements aussi** (level 2). Group **À quelle fréquence ?** sets the digest window : **Rapide (5 min)**, **Normal (15 min)** or **Calme (60 min)**.

6.2 Filtres avancés

Under **Filtres avancés** : **Apps à surveiller** (**Toutes les apps**, **Uniquement ces apps**, **Toutes sauf ces apps**), **Noms d'apps pour le filtre ci-dessus (séparés par des virgules)**, **Ignorer les messages correspondants (un motif par ligne)** and **Toujours ignorer ces apps (séparées par des virgules)**. HealthCheck (logcheck) stays muted by default.

Recommended order : severity → digest timing → optional filters → **Enregistrer** → verify on **Santé** or with a channel test. Overly narrow app filters or aggressive regex muting are common causes of missing alerts — check the filters before blaming channels or cron.




Règles : severity, timing and **Filtres avancés** on one page.

7 Personnes

Sous **Personnes**, vous voyez qui peut ouvrir HealthCheck. Les administrateurs Nextcloud modifient la liste ; les administrateurs d'application la voient en lecture seule.

7.1 Qui peut ouvrir HealthCheck ?

The explanation block **Qui peut ouvrir HealthCheck ?** makes clear : only Nextcloud admins and listed people ; open access is not available. Nextcloud admins may change the list, download, start a fresh log and raw excerpts. App admins use Health, logs, alerts and rules without admin-only actions. Everyone else sees **Non autorisé**.




Personnes as Nextcloud admin with explanation and app-admin list.

7.2 Gérer les administrateurs d'application

Field **Ajouter un admin de l'app** / **Rechercher par nom** (at least two characters), chip in **Admins de l'app**, remove and **Enregistrer**. At most 100 entries ; unknown identifiers are rejected. Newly listed people can open HealthCheck immediately.

7.3 Vue en tant qu'administrateur d'application

App admins open **Paramètres** → **Personnes** and see explanation plus list — without search field, chip removal and **Enregistrer**. Instead : *Only a Nextcloud admin can add or remove app admins*. Granting access requires a Nextcloud admin ; the API otherwise rejects mutations with LCK_FORBIDDEN.




Personnes as App admin : list visible, editing locked (no **Enregistrer**).

8 Nous soutenir

The **Soutenez-nous** page (nav under **Paramètres**) explains that HealthCheck is free and how you can support development.

Section **Faire un don** : donations go through GitHub Sponsors only — button **GitHub Sponsors** opens the sponsors page in a new window. Section **Enterprise** : for booked help or a custom quote use **Demande entreprise** (email). Where shown, **Plus sur notre site** links to the product page.



Soutenez-nous with donations and enterprise.

This page is separate from the sidebar footer **Aide** (report a problem / suggest improvements).

9 Erreurs, FAQ et glossaire

9.1 Messages fréquents

Surveillance impossible Log backend is not `file`, or several servers without a shared log file. The Health page shows the detected log type ; watching and alerts stay off.

Impossible d'ouvrir les journaux The same backend limit on the Logs page — viewer and search are missing until file-based logs are active.

Stuck background checks Hint text about cron ; badge may show **Contrôle nécessaire** or **Semble bloqué**. First try **Vérifier à nouveau**, otherwise contact the host about Nextcloud cron.

Unreadable channel secrets Stored webhook URLs cannot be decrypted — under **Notifications** re-enter URLs and save.

Channel disabled After repeated delivery failures — **Réactiver et tester**. Until then, messages on that channel stay off.

Non autorisé Neither Nextcloud admin nor App admin; only **Retour à Nextcloud** (chapter 1).

Log not readable / not writable Check file permissions on the server ; danger zone and download need write access to the live file.

9.2 FAQ

Why no alerts? **Watch log file** must be on, at least one channel active and not disabled, rules not too strict, and Nextcloud cron must run. Use **Envoyer un test et activer** per channel.

Why no download? **Download full file** and the **Danger zone** are reserved for Nextcloud admins. App admins do not see those entries.

Does the log filter change alerts? No. **Filter what you see** affects only the view under **Journaux**. Alert logic lives under **Règles**.

What does the Health checklist mean? When watching is on but no channel is ready : items **Set up at least one alert channel** and **Watch log file is on** plus link **Set up alerts**.

Why does a channel stay off? After failures it may auto-disable — message *Channel disabled after repeated failures.* with **Réactiver et tester**. Check recipients, webhook URL and host firewall.

Several servers — what now? Without a shared log file HealthCheck shows **Surveillance impossible**. Either one shared file for all nodes or leave watching off.

Can ordinary users read along? No. Without the admin group and without an entry under **Personnes** they only see **Non autorisé**.

Save is rejected — why? Concurrent edits can trigger a version check. Reload the page and **Enregistrer** again. Too frequent API calls return `LCK_RATE_LIMIT`.

9.3 Codes d'erreur API (pour les administrateurs)

`LCK_FORBIDDEN` Not entitled, or the action is Nextcloud-admin only.

`LCK_VALIDATION` Invalid input (e.g. access mode, unknown user, too many app admins).

`LCK_RATE_LIMIT` Too many API calls — wait briefly and retry.

These codes appear in API responses and logs ; the web UI usually shows human-readable hints. On repeated `LCK_FORBIDDEN`, check role and badge, not the network.

9.4 Glossaire

Digest Bundled message in the interval chosen under **À quelle fréquence?**.

Cursor Internal byte position in the log file for incremental reading.

App admin Person listed under HealthCheck **Personnes** (not necessarily a Nextcloud admin).

Channel Delivery path : email, Slack, webhook or in-app notification.

Live log The current file watched for alerts — not older copies.

Danger zone Admin-only area under **Journaux** for **Nouveau journal** and **Supprimer le fichier journal** (confirmation words required).

Entitlement Server-side grant : Nextcloud admin group or entry under **Personnes**.

Check card One of the seven status cards on **Santé** (e.g. HTTPS, Database).

10 Accessibilité

HealthCheck s'appuie sur le chrome Nextcloud et ajoute une structure pour clavier et lecteurs d'écran. Objectif : rendre statuts et actions compréhensibles sans la seule couleur.

10.1 Structure et focus

- Skip link **Aller à la navigation** ; on the access-denied page **Aller au contenu principal**.
- Semantic headings (`h1/h2/h3`), landmarks (`nav`, `main`) and visible focus rings on switches, chips and buttons.
- The sidebar groups **Surveillance** and **Paramètres** with descriptive hints per entry.
- Forms under **Notifications**, **Règles** and **Personnes** associate labels with inputs ; switches use `role="switch"`.

10.2 Statut sans la seule couleur

Status badges always carry a text label — not colour only :

- Summary : **Tout semble correct**, **Attention requise**, **Critique**, **Inconnu**

- Watching : **Désactivé, Surveillance, Surveillance impossible, Contrôle nécessaire**
- Check cards mirror the same state text in the card header

Warnings (**Surveillance impossible**, stuck cron runs, unreadable secrets) appear as callouts with role `status` or `alert`. Live regions announce loading and saving for screen readers.

10.3 Aide et retours

In the sidebar, **Aide** opens a menu :

- **Signaler un problème,**
- **Proposer une amélioration,**
- optionally **Ouvrir GitHub Issues** (new window).

The note under the menu explains that email has no reply SLA ; for booked help the UI points to the commercial support path (**Soutenez-nous** / enterprise contact). The **Non autorisé** page (chapter 1) follows the minimal-shell pattern : clear heading, one warning and exactly one primary action **Retour à Nextcloud** — without hidden navigation into protected areas.

À propos de Software by Design

Software by Design développe des applications Nextcloud pour les organisations qui souhaitent héberger leurs propres données — de la saisie du temps et des projets à la gestion des stocks, de la flotte et de la relation client. Chaque application s'exécute entièrement sur votre instance Nextcloud ; les interfaces web sont gratuites (AGPL).

Entreprise

- **Site web** : <https://nextcloud.software-by-design.de/>
- **Partenaire & devis** : <mailto:info@software-by-design.de>
- **Signaler un bug / proposer une amélioration** : <mailto:dev@software-by-design.de>

Assistance & contribution

HealthCheck reste gratuit sur votre Nextcloud (AGPL). Les rapports de bugs et les idées pertinentes via GitHub ou e-mail font partie de la maintenance open source — sans délai de réponse garanti.

Dans l'application

Sous **Paramètres** → **Aide & support** (puce de navigation parfois encore **Support us**), vous trouvez les mêmes options que sur notre site : devis partenaire, mise en service, fonction sur commande et soutien volontaire.

Check Partner (facturable)

Si votre organisation a besoin d'une aide planifiable avec facture — mise en service, forfaits d'heures, e-mail prioritaire — choisissez **Check Partner**. Il s'agit d'une prestation avec devis et facture, pas d'un don.

- Forfaits et conditions sur la page support : <https://nextcloud.software-by-design.de/fr/support/>
- Demander un devis partenaire : <mailto:info@software-by-design.de?subject=Demande%20Partner>

Autres options facturables

- **Mise en service & formation** — configuration à distance ou atelier pour votre équipe.
- **Fonction sur commande** — modification cadrée avec critères d'acceptation et date de livraison.
- **Licences mobile & terminal officielles** — lorsqu'elles sont proposées pour HealthCheck ; sièges nominatifs avec facture.

GitHub Sponsors (volontaire)

Soutien volontaire sans SLA de facturation — apprécié, mais facultatif :

<https://github.com/sponsors/aSoftwareByDesignRepository>

Note juridique

Ce manuel ne remplace pas un conseil juridique, fiscal ou de conformité. Les noms de produits et marques de tiers appartiennent à leurs propriétaires respectifs.

Index

Accessibility, 10
App admin, 1
App admins, 8
Can't watch, 3
Channel, 6, 10
Check again, 3
Check card, 3, 10
Checklist, 2
Cursor, 10
Danger zone, 10
Digest, 7, 10
Donate, 8
Email, 6
Enterprise, 8

Entitlement, 1, 10
Errors, 9
FAQ, 9
Getting started, 2
Glossary, 9
Health, 3
HTTPS, 3
Instance health, 3
Keyboard, 10
Live log, 10
Log file, 4
Logs, 4
Mute, 7

Nextcloud admin, 1
Not authorized, 1
Notifications, 6
People, 8
Re-enable & test, 6
Roles, 1
Rules, 7
Screen reader, 10
Send test & turn on, 6
Severity, 7
Slack, 6
Support us, 8
Watch log file, 2
Webhook, 6