



Software by Design

App Nextcloud

Monitoraggio log e salute dell'istanza

HealthCheck

Manuale utente

Monitoraggio del log, dashboard di salute e notifiche.

Per amministratori dell'app e amministratori di sistema Nextcloud.

Versione app

1.3.24

Lingua

Italiano

Data

10 settembre 2026

Indice

Introduzione	ii
1 Ruoli e autorizzazioni	1
1.1 Navigazione dopo l'apertura	1
1.2 Accesso negato	1
1.3 Matrice dei permessi	1
1.4 Limiti rigidi	2
1.5 Verificare il proprio ruolo	2
2 Primi passi	2
2.1 Cosa fare dopo	2
3 Salute	3
3.1 Riepilogo e Controlla di nuovo	3
3.2 Schede di controllo	3
3.3 Avvisi sulla pagina	3
3.4 Sezione Monitoraggio	4
4 Log	4
4.1 Quale log?	4
4.2 Visualizzare una copia precedente	5
4.3 Filtrare e cercare	5
4.4 Zona pericolosa (solo amministratori Nextcloud)	5
5 Notifiche	6
5.1 E-mail	6
5.2 Slack e webhook	6
5.3 Altre opzioni	7
5.4 Canale disattivato e segreti	7
6 Regole	7
6.1 Quanto grave? / Quanto spesso?	7
6.2 Filtri avanzati	7
7 Persone	8
7.1 Chi può aprire HealthCheck?	8
7.2 Gestire gli amministratori app	8
7.3 Vista come amministratore app	8
8 Supportaci	8
9 Errori, FAQ e glossario	9
9.1 Messaggi frequenti	9
9.2 FAQ	9
9.3 Codici errore API (per amministratori)	10
9.4 Glossario	10
10 Accessibilità	10
10.1 Struttura e focus	10
10.2 Stato senza solo il colore	10
10.3 Aiuto e feedback	11
Informazioni su Software by Design	12
Supporto & contributo	12
Indice analitico	14

Introduzione

HealthCheck (ID app `logcheck`) monitora il file di log di Nextcloud e informa gli amministratori autorizzati dei nuovi errori. La pagina **Salute** riepiloga lo stato in sette schede: avvisi di log, job in background, PHP, database, disco dati, HTTPS e aggiornamenti. L'app non sostituisce l'amministrazione Nextcloud né un SIEM — rende visibili gli errori prima che spariscano.

Prerequisiti: log basati su file (`log_type = file`); su più server lo stesso file condiviso, altrimenti **Monitoraggio non possibile**; cron Nextcloud attivo per digest e **Controlla di nuovo**. L'app web è gratuita (AGPL).

Cosa troverete qui

- Ruoli, **Non autorizzato** e amministratori app in **Persone** (capitoli 1, 7).
- Configurazione minima: testare un canale, **Watch log file** (capitolo 2).
- Uso quotidiano: **Salute**, **Registri**, **Notifiche**, **Regole**.
- Errori, FAQ, glossario e accessibilità.

Destinatari

- **Admin dell'app** — salute, log, notifiche e regole dopo l'inserimento in **Persone**.
- **Amministratore Nextcloud** — inoltre gestione persone, download, **Danger zone**, estratti e webhook privati.


Tutti gli altri vedono solo **Non autorizzato** con **Tornare a Nextcloud**.

Versione e screenshot

HealthCheck **1.3.24** (10 settembre 2026). Figure da `http://localhost:8081`: **HTTPS** può mostrare **Senza HTTPS**, **Aggiornamenti Not checked yet** — istanza di laboratorio.

Panoramica Salute

La home **Salute** riepiloga avvisi e schede:



Panoramica **Salute** (lab).

1 Ruoli e autorizzazioni

HealthCheck non offre mai accesso aperto a tutti gli utenti. Chi può aprire l'app è limitato a due ruoli — imposto sul server, non solo nascosto nell'interfaccia.

Amministratore Nextcloud Member of the Nextcloud `admin` group. The sidebar badge shows **Amministratore Nextcloud**. This role may also manage app admins, download the full log file, use the **Danger zone**, and unlock log excerpts or private webhooks.

Admin dell'app A user a Nextcloud administrator listed under **Persone**. Badge: **Admin dell'app**. App admins use Health, Logs, Notifications and Rules like administrators — without the admin-only actions above.

1.1 Navigazione dopo l'apertura


Dopo l'avvio, le persone abilitate vedono due gruppi nella barra laterale:

- **Monitoraggio:** **Salute, Registri**
- **Impostazioni:** **Notifiche, Regole, Persone, Ci sostenga**

At the bottom of the bar, **Aiuto** opens feedback paths (**Segnalare un problema, Proporre un miglioramento**). The role badge next to the app name shows immediately whether you work as Nextcloud admin or App admin.

1.2 Accesso negato

Tutti gli altri ottengono la pagina **Non autorizzato**: un avviso che solo gli amministratori Nextcloud e gli amministratori app HealthCheck possono usare l'app, più il pulsante **Tornare a Nextcloud**. Non esiste modalità ospite né condivisione in sola lettura.



Non autorizzato page for users without entitlement.

1.3 Matrice dei permessi

Capability	App	NC
Open the app (Health, Logs, Settings)	yes	yes
Watch the log file; save alerts and rules	yes	yes
View, filter, search and copy logs	yes	yes
Add or remove app admins	no	yes
Absolute log path; download full file	no	yes
Danger zone (start fresh / delete / remove copy)	no	yes
Log excerpts and private webhook addresses	no	yes

App = **Admin dell'app**; NC = **Amministratore Nextcloud**.

1.4 Limiti rigidi

- Open access (`open/all/public`) is forbidden server-side — even if someone calls the API directly.
- The app-admin list is capped at 100 entries.
- Unauthorised API responses return `LCK_FORBIDDEN` (see chapter 9).

Under **Persone**, list only people who truly manage instance logs and alert channels. Remove app admins when the task ends. The read-only App admin view is shown in chapter 7.

1.5 Verificare il proprio ruolo


1. Open HealthCheck and read the badge beside the app name (**Amministratore Nextcloud** or **Admin dell'app**).
2. Under **Persone**: search field and **Salvare** only as Nextcloud admin; as App admin the read-only hint appears.
3. Under **Registri**: **Danger zone** and **Download full file** are missing for App admins.
4. Under **Notifiche** → **Altre opzioni**: log excerpts and private webhooks only for Nextcloud admins.

If the badge is missing and **Non autorizzato** appears, entitlement is missing — not the network connection. API calls without rights return `LCK_FORBIDDEN`.

2 Primi passi

In pochi passaggi vedete la salute dell'istanza, testate almeno un canale di notifica e attivate il monitoraggio del file di log.

1. Aprite **HealthCheck** nella barra app di Nextcloud.
2. In **Salute** esaminate il riepilogo e le sette schede (capitolo 3).
3. In **Notifiche** configurate almeno un canale — di solito **E-mail** — e fate clic su **Invia test e attiva** (capitolo 5).
4. Nella pagina Salute attivate **Watch log file**.
5. Quando compare l'elenco (**Set up at least one alert channel, Watch log file is on**), usate **Set up alerts** se nessun canale è ancora attivo.



Salute with navigation **Monitoraggio** / **Impostazioni** and the **Watch log file** switch.

2.1 Cosa fare dopo

- Under **Regole**, set severity and digest timing (chapter 6).
- Under **Registri**, review current entries and filters (chapter 4).
- As Nextcloud admin, add further **Admin dell'app** under **Persone** (chapter 7).

Finché il monitoraggio è spento o nessun canale è attivo, gli avvisi restano silenziosi — anche se le schede sotto **Salute** sembrano a posto.

3 Salute


The **Salute** page (nav group **Monitoraggio**) shows instance health at a glance: log alerts, background jobs, PHP, database, data disk, HTTPS and updates.

3.1 Riepilogo e Controlla di nuovo

A status badge appears at the top. Possible states (with text, not colour alone):

- **Tutto sembra a posto**
- **Richiede attenzione**
- **Critico**
- **Sconosciuto**

With **Controlla di nuovo** you start a background run immediately and refresh cards plus watching status. The control appears only when file-based logs and a valid topology are present.



Summary and check cards on **Salute**.

3.2 Schede di controllo

Avvisi dei log Whether log watching is running and alerts are ready.

Processi in background State of Nextcloud cron / background jobs.

PHP Detected PHP version and important limits (e.g. memory).

Database Whether the database responds.

Disco dati Free space in the data directory.

HTTPS Whether the instance URL uses HTTPS.

Aggiornamenti Whether Nextcloud has already cached an update check.

Cards may show action buttons (for example open admin or security settings). Those lead into Nextcloud administration outside HealthCheck.

3.3 Avvisi sulla pagina

Monitoraggio non possibile HealthCheck supports only file-based logs (`log_type = file`). The detected log type is shown.

Topology Also **Monitoraggio non possibile** when HealthCheck notices a different server. Several servers need one shared log file — or you turn watching off.


Stuck checks Hint that background checks look stuck: try **Controlla di nuovo**, or ask the host about Nextcloud cron. The badge may show **Controllo necessario**.

Channel secrets If stored secrets cannot be read, a warning with link **Gestire avvisi** appears. Re-enter webhook URLs.

3.4 Sezione Monitoraggio

The **Monitoraggio** block controls whether HealthCheck looks for new errors in the background. Watching the log file alone does not send notifications — you need at least one active channel under **Notifiche**. After enabling: activate a channel with **Invia test e attiva** and tick the checklist on this page.

- Switch **Watch log file**.
- Status badge: **Disattivato**, **Monitoraggio**, **Monitoraggio non possibile**, **Controllo necessario** or **Richiede attenzione**.
- When watching is on but alerts are not ready: checklist with **Set up at least one alert channel**, **Watch log file is on** and button **Set up alerts**; below that only the **Registri** link (not also **Gestire avvisi** — one destination, one button).
- When watching is on and alerts are ready: **Gestire avvisi** and **Registri**.
- When watching hits an error state: **Try again** and optionally **Gestire avvisi**.
- After successful runs: **Ultimo controllo** with timestamp.



Monitoraggio section with switch **Watch log file**.

4 Log


In **Registri** leggete e cercate nel file di log di Nextcloud. Solo il file corrente è monitorato per gli avvisi.

4.1 Quale log?

The **Quale registro?** selector lists available files:

- **Registro corrente (monitorato per avvisi)** — the live file,
- **Copia salvata** — e.g. after **Avviare registro nuovo**,
- **Copia precedente** — further rotated files.

No file yet: *No log file yet. Nextcloud creates it when something is logged.* As Nextcloud admin, the absolute **Percorso** appears under the list.



Registri: file picker, filters and viewer.

4.2 Visualizzare una copia precedente

For an older or saved copy, a note explains that alerts only watch the current log. Nextcloud admins can **Rimuovere questa copia** — confirmation word `DELETE_COPY`.

4.3 Filtrare e cercare

- Group **Filter what you see** with hint *Does not change alert rules.*
- Chips: **All levels**, **Warnings+**, **Errors+**.
- Search: field **Cerca nel registro...**, button **Cerca** (literal search in the recent part of the file).
- **Ricaricare** refreshes the current excerpt; **Copiare le righe mostrate** copies to the clipboard.


The newest part of the file is shown. Search also covers only that recent part. Under **More**: **Show raw lines**; Nextcloud admin only: **Download full file**. When older content is available, **Load older lines** appears; with an empty filter result, **Show all levels** helps.

4.4 Zona pericolosa (solo amministratori Nextcloud)

In the **Danger zone**:

- **Avviare registro nuovo** — set the old file aside and start an empty live file (confirm `START_FRESH`),
- **Eliminare file di registro** — delete completely (confirm `DELETE`).

In the confirmation dialog: field **Conferma**, buttons **Annulla** and **Conferma**. If the file is not writable from here, a hint asks the host for file permissions.



Danger zone with **Avviare registro nuovo** and **Eliminare file di registro**.

If the backend is not file-based, **Impossibile aprire i registri** appears. On read errors, check file permissions — the same cause can block download and the danger zone; switch back to **Registro corrente (monitorato per avvisi)** if needed. For day-to-day use, **Errors+** plus a


short search usually suffice; raw lines and full download are diagnostic aids — alerts still depend only on the watch switch, active channels and the rules.

5 Notifiche

In **Notifiche** scegliete come HealthCheck segnala i nuovi errori. Salvate con **Salvare**. Per canale attivate l'invio con **Invia test e attiva** — solo allora il canale è pronto.

5.1 E-mail

In the **E-mail** section, turn on **Inviare avvisi e-mail**, enter recipients comma-separated in **Recipients**, and confirm with **Invia test e attiva**. Without a successful test the channel stays inactive even if recipients are already listed.



E-mail section under **Notifiche**.

5.2 Slack e webhook


In the **Slack e webhook** disclosure you also configure Slack and a generic webhook.

5.2.1 Slack

Turn on **Inviare avvisi Slack** and enter the **URL webhook Slack**. An empty URL field keeps the address already stored. With a saved URL you see **URL salvato** (masked) and optionally **Cancellare URL salvato**. Then **Invia test e attiva**.

5.2.2 Webhook

The same sequence applies to **Inviare avvisi webhook** and **URL webhook**, including **URL salvato** / **Cancellare URL salvato** and the test button.



Slack e webhook and **Altre opzioni**.

5.3 Altre opzioni

Under **Altre opzioni** you enable **Notifiche nell'app** for entitled users — also with **Invia test e attiva**.

Only Nextcloud admins additionally see:

- **Includere brevi estratti di log** — warning about passwords, tokens and personal data; to enable, type CONFIRM in **Digiti CONFIRM per attivare gli estratti**,
- **Consentire indirizzi webhook di rete privata** — off by default; only when you knowingly need it.

5.4 Canale disattivato e segreti

After repeated failures a channel may disable itself: hint *Channel disabled after repeated failures*. and button **Riattivare e testare**. Until a new test succeeds, messages on that channel stay off. If stored channel secrets cannot be read, the same warning as on the Health page appears — re-enter webhook URLs and save; the link **Gestire avvisi** leads here.

The UI works channel by channel with **Invia test e attiva**. A separate **Attivare gli avvisi** button is not visible in the current web UI even though the API endpoint exists.

6 Regole

In **Regole** controllate quando e quanto spesso partono gli avvisi. **Salvare** applica le impostazioni. I filtri di visualizzazione in **Registri** non modificano queste regole — riguardano solo la vista.


6.1 Quanto grave? / Quanto spesso?

Group **Quanto è grave?: Errori** (level 3) or **Anche avvertimenti** (level 2). Group **Con quale frequenza?** sets the digest window: **Veloce (5 min)**, **Normale (15 min)** or **Silenzioso (60 min)**.

6.2 Filtri avanzati

Under **Filtri avanzati: App da monitorare** (**Tutte le app**, **Solo queste app**, **Tutte tranne queste app**), **Nomi app per il filtro sopra (separati da virgola)**, **Ignorare i messaggi corrispondenti (un modello per riga)** and **Silenziare sempre queste app (separate da virgola)**. HealthCheck (logcheck) stays muted by default.

Recommended order: severity → digest timing → optional filters → **Salvare** → verify on **Salute** or with a channel test. Overly narrow app filters or aggressive regex muting are common causes of missing alerts — check the filters before blaming channels or cron.




Regole: severity, timing and **Filtri avanzati** on one page.

7 Persone

In **Persone** vedete chi può aprire HealthCheck. Gli amministratori Nextcloud modificano l'elenco; gli amministratori app lo vedono in sola lettura.

7.1 Chi può aprire HealthCheck?

The explanation block **Chi può aprire HealthCheck?** makes clear: only Nextcloud admins and listed people; open access is not available. Nextcloud admins may change the list, download, start a fresh log and raw excerpts. App admins use Health, logs, alerts and rules without admin-only actions. Everyone else sees **Non autorizzato**.




Persone as Nextcloud admin with explanation and app-admin list.

7.2 Gestire gli amministratori app

Field **Aggiungere admin dell'app** / **Cercare per nome** (at least two characters), chip in **Admin dell'app**, remove and **Salvare**. At most 100 entries; unknown identifiers are rejected. Newly listed people can open HealthCheck immediately.

7.3 Vista come amministratore app

App admins open **Impostazioni** → **Persone** and see explanation plus list — without search field, chip removal and **Salvare**. Instead: *Only a Nextcloud admin can add or remove app admins*. Granting access requires a Nextcloud admin; the API otherwise rejects mutations with LCK_FORBIDDEN.




Persone as App admin: list visible, editing locked (no **Salvare**).

8 Supportaci

The **Ci sostenga** page (nav under **Impostazioni**) explains that HealthCheck is free and how you can support development.

Section **Donare**: donations go through GitHub Sponsors only — button **GitHub Sponsors** opens the sponsors page in a new window. Section **Enterprise**: for booked help or a custom quote use **Richiesta enterprise** (email). Where shown, **Altro sul nostro sito** links to the product page.



Ci sostenga with donations and enterprise.

This page is separate from the sidebar footer **Aiuto** (report a problem / suggest improvements).

9 Errori, FAQ e glossario

9.1 Messaggi frequenti

Monitoraggio non possibile Log backend is not file, or several servers without a shared log file. The Health page shows the detected log type; watching and alerts stay off.

Impossibile aprire i registri The same backend limit on the Logs page — viewer and search are missing until file-based logs are active.

Stuck background checks Hint text about cron; badge may show **Controllo necessario** or **Looks stuck**. First try **Controlla di nuovo**, otherwise contact the host about Nextcloud cron.

Unreadable channel secrets Stored webhook URLs cannot be decrypted — under **Notifiche** re-enter URLs and save.

Channel disabled After repeated delivery failures — **Riattivare e testare**. Until then, messages on that channel stay off.

Non autorizzato Neither Nextcloud admin nor App admin; only **Tornare a Nextcloud** (chapter 1).

Log not readable / not writable Check file permissions on the server; danger zone and download need write access to the live file.

9.2 FAQ

Why no alerts? **Watch log file** must be on, at least one channel active and not disabled, rules not too strict, and Nextcloud cron must run. Use **Invia test e attiva** per channel.

Why no download? **Download full file** and the **Danger zone** are reserved for Nextcloud admins. App admins do not see those entries.

Does the log filter change alerts? No. **Filter what you see** affects only the view under **Registri**. Alert logic lives under **Regole**.

What does the Health checklist mean? When watching is on but no channel is ready: items **Set up at least one alert channel** and **Watch log file is on** plus link **Set up alerts**.

Why does a channel stay off? After failures it may auto-disable — message *Channel disabled after repeated failures*. with **Riattivare e testare**. Check recipients, webhook URL and host firewall.

Several servers — what now? Without a shared log file HealthCheck shows **Monitoraggio non possibile**. Either one shared file for all nodes or leave watching off.

Can ordinary users read along? No. Without the admin group and without an entry under **Persone** they only see **Non autorizzato**.

Save is rejected — why? Concurrent edits can trigger a version check. Reload the page and **Salvare** again. Too frequent API calls return `LCK_RATE_LIMIT`.

9.3 Codici errore API (per amministratori)

`LCK_FORBIDDEN` Not entitled, or the action is Nextcloud-admin only.

`LCK_VALIDATION` Invalid input (e.g. access mode, unknown user, too many app admins).

`LCK_RATE_LIMIT` Too many API calls — wait briefly and retry.

These codes appear in API responses and logs; the web UI usually shows human-readable hints. On repeated `LCK_FORBIDDEN`, check role and badge, not the network.

9.4 Glossario

Digest Bundled message in the interval chosen under **Con quale frequenza?**.

Cursor Internal byte position in the log file for incremental reading.

App admin Person listed under HealthCheck **Persone** (not necessarily a Nextcloud admin).

Channel Delivery path: email, Slack, webhook or in-app notification.

Live log The current file watched for alerts — not older copies.

Danger zone Admin-only area under **Registri** for **Avviare registro nuovo** and **Eliminare file di registro** (confirmation words required).

Entitlement Server-side grant: Nextcloud admin group or entry under **Persone**.

Check card One of the seven status cards on **Salute** (e.g. HTTPS, Database).

10 Accessibilità

HealthCheck si basa sul chrome Nextcloud e aggiunge una propria struttura per tastiera e screen reader. Obiettivo: rendere stati e azioni comprensibili senza solo il colore.

10.1 Struttura e focus

- Skip link **Vai alla navigazione**; on the access-denied page **Vai al contenuto principale**.
- Semantic headings (`h1/h2/h3`), landmarks (`nav, main`) and visible focus rings on switches, chips and buttons.
- The sidebar groups **Monitoraggio** and **Impostazioni** with descriptive hints per entry.
- Forms under **Notifiche**, **Regole** and **Persone** associate labels with inputs; switches use `role="switch"`.

10.2 Stato senza solo il colore

Status badges always carry a text label — not colour only:

- Summary: **Tutto sembra a posto**, **Richiede attenzione**, **Critico**, **Sconosciuto**
- Watching: **Disattivato**, **Monitoraggio**, **Monitoraggio non possibile**, **Controllo necessario**

- Check cards mirror the same state text in the card header

Warnings (**Monitoraggio non possibile**, stuck cron runs, unreadable secrets) appear as callouts with role `status` or `alert`. Live regions announce loading and saving for screen readers.

10.3 Aiuto e feedback

In the sidebar, **Aiuto** opens a menu:

- **Segnalare un problema**,
- **Proporre un miglioramento**,
- optionally **Aprire GitHub Issues** (new window).

The note under the menu explains that email has no reply SLA; for booked help the UI points to the commercial support path (**Ci sostenga** / enterprise contact). The **Non autorizzato** page (chapter 1) follows the minimal-shell pattern: clear heading, one warning and exactly one primary action **Tornare a Nextcloud** — without hidden navigation into protected areas.

Informazioni su Software by Design

Software by Design sviluppa app Nextcloud per organizzazioni che vogliono ospitare i propri dati — dalla rilevazione del tempo e progetti a magazzino, flotte e relazioni con i clienti. Ogni app funziona interamente sulla vostra istanza Nextcloud; le interfacce web sono gratuite (AGPL).

Azienda

- **Sito web:** <https://nextcloud.software-by-design.de/>
- **Partner & preventivi:** <mailto:info@software-by-design.de>
- **Segnalare un bug / suggerire un miglioramento:** <mailto:dev@software-by-design.de>

Supporto & contributo

HealthCheck resta gratuito sulla vostra Nextcloud (AGPL). Segnalazioni di bug e idee sensate via GitHub o e-mail fanno parte della manutenzione open source — senza tempo di risposta garantito.

Nell'app

In **Impostazioni** → **Aiuto & supporto** (chip di navigazione talvolta ancora **Support us**) trovate le stesse opzioni del sito: preventivo partner, avvio, funzione su commissione e supporto volontario.

Check Partner (fatturabile)

Se la vostra organizzazione ha bisogno di assistenza pianificabile con fattura — avvio, pacchetti ore, e-mail prioritaria — scegliete **Check Partner**. È un servizio con preventivo e fattura, non una donazione.

- Pacchetti e condizioni sulla pagina supporto: <https://nextcloud.software-by-design.de/it/support/>
- Richiedere un preventivo partner: <mailto:info@software-by-design.de?subject=Richiesta%20Partner>

Altre opzioni fatturabili

- **Avvio & formazione** — configurazione remota o workshop per il team.
- **Funzione su commissione** — modifica delimitata con criteri di accettazione e data di consegna.
- **Licenze mobile & terminal ufficiali** — dove offerte per HealthCheck; posti nominali con fattura.

GitHub Sponsors (volontario)

Supporto volontario senza SLA di fatturazione — gradito, ma facoltativo:

<https://github.com/sponsors/aSoftwareByDesignRepository>

Nota legale

Questo manuale non sostituisce consulenza legale, fiscale o di conformità. Nomi di prodotti e marchi di terzi appartengono ai rispettivi titolari.

Indice analitico

Accessibility, 10
App admin, 1
App admins, 8
Can't watch, 3
Channel, 6, 10
Check again, 3
Check card, 3, 10
Checklist, 2
Cursor, 10
Danger zone, 10
Digest, 7, 10
Donate, 8
Email, 6
Enterprise, 8

Entitlement, 1, 10
Errors, 9
FAQ, 9
Getting started, 2
Glossary, 9
Health, 3
HTTPS, 3
Instance health, 3
Keyboard, 10
Live log, 10
Log file, 4
Logs, 4
Mute, 7

Nextcloud admin, 1
Not authorized, 1
Notifications, 6
People, 8
Re-enable & test, 6
Roles, 1
Rules, 7
Screen reader, 10
Send test & turn on, 6
Severity, 7
Slack, 6
Support us, 8
Watch log file, 2
Webhook, 6