



Software by Design

Nextcloud-apps

Logbewaking en instance-gezondheid

HealthCheck

Gebruikershandleiding

Logbewaking, gezondheidsdashboard en meldingen.

Voor app-beheerders en Nextcloud-systeembeheerders.

App-versie

1.3.24

Taal

Nederlands

Datum

10 september 2026

Inhoudsopgave

Inleiding	ii
1 Rollen en rechten	1
1.1 Navigatie na openen	1
1.2 Toegang geweigerd	1
1.3 Rechtenmatrix	1
1.4 Harde grenzen	2
1.5 Controleer uw eigen rol	2
2 Aan de slag	2
2.1 Daarna	2
3 Gezondheid	3
3.1 Samenvatting en Opnieuw controleren	3
3.2 Controlekaarten	3
3.3 Waarschuwingen op de pagina	3
3.4 Sectie Bewaking	4
4 Logboeken	4
4.1 Welk logboek?	4
4.2 Een oudere kopie bekijken	5
4.3 Filteren en zoeken	5
4.4 Gevarenzone (alleen Nextcloud-beheerder)	5
5 Meldingen	6
5.1 E-mail	6
5.2 Slack en webhook	6
5.3 Meer opties	7
5.4 Kanaal uitgeschakeld en geheimen	7
6 Regels	7
6.1 Hoe ernstig? / Hoe vaak?	7
6.2 Geavanceerde filters	7
7 Personen	8
7.1 Wie kan HealthCheck openen?	8
7.2 App-beheerders beheren	8
7.3 Weergave als app-beheerder	8
8 Steun ons	8
9 Fouten, FAQ en begrippenlijst	9
9.1 Veelvoorkomende meldingen	9
9.2 FAQ	9
9.3 API-foutcodes (voor beheerders)	10
9.4 Begrippenlijst	10
10 Toegankelijkheid	10
10.1 Structuur en focus	10
10.2 Status zonder alleen kleur	10
10.3 Help en feedback	11
Over Software by Design	12
Support & bijdragen	12
Index	13

Inleiding

HealthCheck (app-id `logcheck`) bewaakt het Nextcloud-logbestand en informeert geautoriseerde beheerders over nieuwe fouten. De pagina **Gezondheid** vat de toestand samen in zeven controlekaarten: logmeldingen, achtergrondtaken, PHP, database, dataschijf, HTTPS en updates. De app vervangt noch Nextcloud-beheer noch een SIEM — ze maakt fouten zichtbaar voordat ze verdwijnen.

Voorwaarden: bestandsgebaseerde logs (`log_type = file`); bij meerdere servers hetzelfde gedeelde logbestand, anders **Bewaken niet mogelijk**; draaiende Nextcloud-cron voor digests en **Opnieuw controleren**. De webapp is gratis (AGPL).

Wat u hier vindt

- Rollen, **Niet geautoriseerd** en app-beheerders onder **Personen** (hoofdstukken 1, 7).
- Minimale inrichting: kanaal testen, **Watch log file** (hoofdstuk 2).
- Dagelijks: **Gezondheid**, **Logboeken**, **Meldingen**, **Regels**.
- Fouten, FAQ, begrippenlijst en toegankelijkheid.

Doelgroep

- **Appbeheerder** — gezondheid, logboeken, meldingen en regels na opname onder **Persone**.
- **Nextcloud-beheerder** — daarnaast personenbeheer, download, **Danger zone**, fragmenten en private webhooks.


Alle anderen zien alleen **Niet geautoriseerd** met **Terug naar Nextcloud**.

App-versie en schermafbeeldingen

HealthCheck **1.3.24** (10 september 2026). Afbeeldingen van `http://localhost:8081`: **HTTPS** kan **Geen HTTPS** tonen, **Updates Not checked yet** — labinstantie.

Overzicht Gezondheid

De startpagina **Gezondheid** vat meldingen en kaarten samen:



Overzicht **Gezondheid** (lab).

1 Rollen en rechten

HealthCheck biedt nooit open toegang voor alle gebruikers. Wie de app mag openen is beperkt tot twee rollen — afgedwongen op de server, niet alleen verborgen in de interface.

Nextcloud-beheerder Member of the Nextcloud `admin` group. The sidebar badge shows **Nextcloud-beheerder**. This role may also manage app admins, download the full log file, use the **Danger zone**, and unlock log excerpts or private webhooks.

Appbeheerder A user a Nextcloud administrator listed under **Personen**. Badge: **Appbeheerder**. App admins use Health, Logs, Notifications and Rules like administrators — without the admin-only actions above.

1.1 Navigatie na openen


Na het starten zien gerechtigde personen twee groepen in de zijbalk:

- **Bewaking: Gezondheid, Logboeken**
- **Instellingen: Meldingen, Regels, Personen, Steun ons**

At the bottom of the bar, **Hulp** opens feedback paths (**Probleem melden, Verbetering voorstellen**). The role badge next to the app name shows immediately whether you work as Nextcloud admin or App admin.

1.2 Toegang geweigerd

Alle anderen krijgen de pagina **Niet geautoriseerd**: een melding dat alleen Nextcloud-beheerders en HealthCheck-app-beheerders de app kunnen gebruiken, plus de knop **Terug naar Nextcloud**. Er is geen gastmodus en geen alleen-lezen-deling.



Niet geautoriseerd page for users without entitlement.

1.3 Rechtenmatrix

Capability	App	NC
Open the app (Health, Logs, Settings)	yes	yes
Watch the log file; save alerts and rules	yes	yes
View, filter, search and copy logs	yes	yes
Add or remove app admins	no	yes
Absolute log path; download full file	no	yes
Danger zone (start fresh / delete / remove copy)	no	yes
Log excerpts and private webhook addresses	no	yes

App = **Appbeheerder**; NC = **Nextcloud-beheerder**.

1.4 Harde grenzen

- Open access (`open/all/public`) is forbidden server-side — even if someone calls the API directly.
- The app-admin list is capped at 100 entries.
- Unauthorised API responses return `LCK_FORBIDDEN` (see chapter 9).

Under **Personen**, list only people who truly manage instance logs and alert channels. Remove app admins when the task ends. The read-only App admin view is shown in chapter 7.

1.5 Controleer uw eigen rol


1. Open HealthCheck and read the badge beside the app name (**Nextcloud-beheerder** or **Appbeheerder**).
2. Under **Personen**: search field and **Opslaan** only as Nextcloud admin; as App admin the read-only hint appears.
3. Under **Logboeken**: **Danger zone** and **Download full file** are missing for App admins.
4. Under **Meldingen** → **Meer opties**: log excerpts and private webhooks only for Nextcloud admins.

If the badge is missing and **Niet geautoriseerd** appears, entitlement is missing — not the network connection. API calls without rights return `LCK_FORBIDDEN`.

2 Aan de slag

In een paar stappen ziet u de gezondheid van de instance, test u ten minste één meldingskanaal en schakelt u bewaking van het logbestand in.

1. Open **HealthCheck** in de Nextcloud-appbalk.
2. Onder **Gezondheid** bekijkt u de samenvatting en de zeven controlekaarten (hoofdstuk 3).
3. Onder **Meldingen** richt u ten minste één kanaal in — meestal **E-mail** — en klikt u op **Test versturen en inschakelen** (hoofdstuk 5).
4. Op de Gezondheidspagina schakelt u **Watch log file** in.
5. Als de checklist verschijnt (**Set up at least one alert channel, Watch log file is on**), gebruikt u **Set up alerts** als er nog geen kanaal actief is.



Gezondheid with navigation **Bewaking** / **Instellingen** and the **Watch log file** switch.

2.1 Daarna

- Under **Regels**, set severity and digest timing (chapter 6).
- Under **Logboeken**, review current entries and filters (chapter 4).
- As Nextcloud admin, add further **Appbeheerders** under **Personen** (chapter 7).

Zolang bewaking uit staat of geen kanaal actief is, blijven meldingen stil — ook als de controlekaarten onder **Gezondheid** er verder goed uitzien.

3 Gezondheid


The **Gezondheid** page (nav group **Bewaking**) shows instance health at a glance: log alerts, background jobs, PHP, database, data disk, HTTPS and updates.

3.1 Samenvatting en Opnieuw controleren

A status badge appears at the top. Possible states (with text, not colour alone):

- **Alles ziet er goed uit**
- **Aandacht nodig**
- **Kritiek**
- **Onbekend**

With **Opnieuw controleren** you start a background run immediately and refresh cards plus watching status. The control appears only when file-based logs and a valid topology are present.



Summary and check cards on **Gezondheid**.

3.2 Controlekaarten

Logmeldingen Whether log watching is running and alerts are ready.

Achtergrondtaken State of Nextcloud cron / background jobs.

PHP Detected PHP version and important limits (e.g. memory).

Database Whether the database responds.

Gegevensschijf Free space in the data directory.

HTTPS Whether the instance URL uses HTTPS.

Updates Whether Nextcloud has already cached an update check.

Cards may show action buttons (for example open admin or security settings). Those lead into Nextcloud administration outside HealthCheck.

3.3 Waarschuwingen op de pagina

Bewaken niet mogelijk HealthCheck supports only file-based logs (`log_type = file`). The detected log type is shown.

Topology Also **Bewaken niet mogelijk** when HealthCheck notices a different server. Several servers need one shared log file — or you turn watching off.


Stuck checks Hint that background checks look stuck: try **Opnieuw controleren**, or ask the host about Nextcloud cron. The badge may show **Controle nodig**.

Channel secrets If stored secrets cannot be read, a warning with link **Meldingen beheren** appears. Re-enter webhook URLs.

3.4 Sectie Bewaking

The **Bewaking** block controls whether HealthCheck looks for new errors in the background. Watching the log file alone does not send notifications — you need at least one active channel under **Meldingen**. After enabling: activate a channel with **Test versturen en inschakelen** and tick the checklist on this page.

- Switch **Watch log file**.
- Status badge: **Uit**, **Bewaking**, **Bewaken niet mogelijk**, **Controle nodig** or **Aandacht nodig**.
- When watching is on but alerts are not ready: checklist with **Set up at least one alert channel**, **Watch log file is on** and button **Set up alerts**; below that only the **Logboeken** link (not also **Meldingen beheren** — one destination, one button).
- When watching is on and alerts are ready: **Meldingen beheren** and **Logboeken**.
- When watching hits an error state: **Try again** and optionally **Meldingen beheren**.
- After successful runs: **Laatste controle** with timestamp.



Bewaking section with switch **Watch log file**.

4 Logboeken


Onder **Logboeken** leest en doorzoekt u het Nextcloud-logbestand. Alleen het huidige bestand wordt bewaakt voor meldingen.

4.1 Welk logboek?

The **Welk logbestand?** selector lists available files:

- **Huidig log (bewaakt voor meldingen)** — the live file,
- **Opgeslagen kopie** — e.g. after **Nieuw log starten**,
- **Oudere kopie** — further rotated files.

No file yet: *No log file yet. Nextcloud creates it when something is logged.* As Nextcloud admin, the absolute **Pad** appears under the list.



Logboeken: file picker, filters and viewer.

4.2 Een oudere kopie bekijken

For an older or saved copy, a note explains that alerts only watch the current log. Nextcloud admins can **Deze kopie verwijderen** — confirmation word `DELETE_COPY`.

4.3 Filteren en zoeken

- Group **Filter what you see** with hint *Does not change alert rules*.
- Chips: **All levels**, **Warnings+**, **Errors+**.
- Search: field **Zoeken in log...**, button **Zoeken** (literal search in the recent part of the file).
- **Herladen** refreshes the current excerpt; **Getoonde regels kopiëren** copies to the clipboard.


The newest part of the file is shown. Search also covers only that recent part. Under **More: Show raw lines**; Nextcloud admin only: **Download full file**. When older content is available, **Load older lines** appears; with an empty filter result, **Show all levels** helps.

4.4 Gevarenzone (alleen Nextcloud-beheerder)

In the **Danger zone**:

- **Nieuw log starten** — set the old file aside and start an empty live file (confirm `START_FRESH`),
- **Logbestand verwijderen** — delete completely (confirm `DELETE`).

In the confirmation dialog: field **Bevestiging**, buttons **Annuleren** and **Bevestigen**. If the file is not writable from here, a hint asks the host for file permissions.



Danger zone with **Nieuw log starten** and **Logbestand verwijderen**.

If the backend is not file-based, **Kan logboeken niet openen** appears. On read errors, check file permissions — the same cause can block download and the danger zone; switch back to **Huidig log (bewaakt voor meldingen)** if needed. For day-to-day use, **Errors+** plus a short


search usually suffice; raw lines and full download are diagnostic aids — alerts still depend only on the watch switch, active channels and the rules.

5 Meldingen

Onder **Meldingen** kiest u hoe HealthCheck nieuwe fouten meldt. Sla op met **Opslaan**. Per kanaal activeert u verzending met **Test versturen en inschakelen** — pas dan is het kanaal gereed.

5.1 E-mail

In the **E-mail** section, turn on **E-mailmeldingen versturen**, enter recipients comma-separated in **Recipients**, and confirm with **Test versturen en inschakelen**. Without a successful test the channel stays inactive even if recipients are already listed.



E-mail section under **Meldingen**.

5.2 Slack en webhook


In the **Slack en webhook** disclosure you also configure Slack and a generic webhook.

5.2.1 Slack

Turn on **Slack-meldingen versturen** and enter the **Slack-webhook-URL**. An empty URL field keeps the address already stored. With a saved URL you see **Opgeslagen URL** (masked) and optionally **Opgeslagen URL wissen**. Then **Test versturen en inschakelen**.

5.2.2 Webhook

The same sequence applies to **Webhook-meldingen versturen** and **Webhook-URL**, including **Opgeslagen URL** / **Opgeslagen URL wissen** and the test button.



Slack en webhook and **Meer opties**.

5.3 Meer opties

Under **Meer opties** you enable **Meldingen in de app** for entitled users — also with **Test versturen en inschakelen**.

Only Nextcloud admins additionally see:

- **Korte logfragmenten opnemen** — warning about passwords, tokens and personal data; to enable, type CONFIRM in **Typ CONFIRM om fragmenten in te schakelen**,
- **Webhook-adressen in privénetwerk toestaan** — off by default; only when you knowingly need it.

5.4 Kanaal uitgeschakeld en geheimen

After repeated failures a channel may disable itself: hint *Channel disabled after repeated failures*. and button **Opnieuw inschakelen en testen**. Until a new test succeeds, messages on that channel stay off. If stored channel secrets cannot be read, the same warning as on the Health page appears — re-enter webhook URLs and save; the link **Meldingen beheren** leads here.

The UI works channel by channel with **Test versturen en inschakelen**. A separate **Meldingen inschakelen** button is not visible in the current web UI even though the API endpoint exists.

6 Regels

Onder **Regels** bepaalt u wanneer en hoe vaak meldingen afgaan. **Opslaan** past de instellingen toe. Weergavefilters onder **Logboeken** wijzigen deze regels niet — ze gelden alleen voor de viewer.


6.1 Hoe ernstig? / Hoe vaak?

Group **Hoe ernstig?**: **Fouten** (level 3) or **Ook waarschuwingen** (level 2). Group **Hoe vaak?** sets the digest window: **Snel (5 min)**, **Normaal (15 min)** or **Rustig (60 min)**.

6.2 Geavanceerde filters

Under **Geavanceerde filters**: **Welke apps bewaken** (**Alle apps**, **Alleen deze apps**, **Alle behalve deze apps**), **Appnamen voor het filter hierboven (kommagescheiden)**, **Passende berichten negeren (één patroon per regel)** and **Deze apps altijd dempen (kommagescheiden)**. HealthCheck (logcheck) stays muted by default.

Recommended order: severity → digest timing → optional filters → **Opslaan** → verify on **Gezondheid** or with a channel test. Overly narrow app filters or aggressive regex muting are common causes of missing alerts — check the filters before blaming channels or cron.




Regels: severity, timing and **Geavanceerde filters** on one page.

7 Personen

Onder **Personen** ziet u wie HealthCheck mag openen. Nextcloud-beheerders bewerken de lijst; app-beheerders zien die alleen-lezen.

7.1 Wie kan HealthCheck openen?

The explanation block **Wie mag HealthCheck openen?** makes clear: only Nextcloud admins and listed people; open access is not available. Nextcloud admins may change the list, download, start a fresh log and raw excerpts. App admins use Health, logs, alerts and rules without admin-only actions. Everyone else sees **Niet geautoriseerd**.




Personen as Nextcloud admin with explanation and app-admin list.

7.2 App-beheerders beheren

Field **Appbeheerder toevoegen / Zoeken op naam** (at least two characters), chip in **App-beheerders**, remove and **Opslaan**. At most 100 entries; unknown identifiers are rejected. Newly listed people can open HealthCheck immediately.

7.3 Weergave als app-beheerder

App admins open **Instellingen** → **Personen** and see explanation plus list — without search field, chip removal and **Opslaan**. Instead: *Only a Nextcloud admin can add or remove app admins*. Granting access requires a Nextcloud admin; the API otherwise rejects mutations with LCK_FORBIDDEN.




Personen as App admin: list visible, editing locked (no **Opslaan**).

8 Steun ons

The **Steun ons** page (nav under **Instellingen**) explains that HealthCheck is free and how you can support development.

Section **Doneren**: donations go through GitHub Sponsors only — button **GitHub Sponsors** opens the sponsors page in a new window. Section **Enterprise**: for booked help or a custom quote use **Enterprise-aanvraag** (email). Where shown, **Meer op onze website** links to the product page.



Steun ons with donations and enterprise.

This page is separate from the sidebar footer **Hulp** (report a problem / suggest improvements).

9 Fouten, FAQ en begrippenlijst

9.1 Veelvoorkomende meldingen

Bewaken niet mogelijk Log backend is not file, or several servers without a shared log file. The Health page shows the detected log type; watching and alerts stay off.

Kan logboeken niet openen The same backend limit on the Logs page — viewer and search are missing until file-based logs are active.

Stuck background checks Hint text about cron; badge may show **Controle nodig** or **Looks stuck**. First try **Opnieuw controleren**, otherwise contact the host about Nextcloud cron.

Unreadable channel secrets Stored webhook URLs cannot be decrypted — under **Meldingen** re-enter URLs and save.

Channel disabled After repeated delivery failures — **Opnieuw inschakelen en testen**. Until then, messages on that channel stay off.

Niet geautoriseerd Neither Nextcloud admin nor App admin; only **Terug naar Nextcloud** (chapter 1).

Log not readable / not writable Check file permissions on the server; danger zone and download need write access to the live file.

9.2 FAQ

Why no alerts? **Watch log file** must be on, at least one channel active and not disabled, rules not too strict, and Nextcloud cron must run. Use **Test versturen en inschakelen** per channel.

Why no download? **Download full file** and the **Danger zone** are reserved for Nextcloud admins. App admins do not see those entries.

Does the log filter change alerts? No. **Filter what you see** affects only the view under **Logboeken**. Alert logic lives under **Regels**.

What does the Health checklist mean? When watching is on but no channel is ready: items **Set up at least one alert channel** and **Watch log file is on** plus link **Set up alerts**.

Why does a channel stay off? After failures it may auto-disable — message *Channel disabled after repeated failures*. with **Opnieuw inschakelen en testen**. Check recipients, web-hook URL and host firewall.

Several servers — what now? Without a shared log file HealthCheck shows **Bewaken niet mogelijk**. Either one shared file for all nodes or leave watching off.

Can ordinary users read along? No. Without the admin group and without an entry under **Personen** they only see **Niet geautoriseerd**.

Save is rejected — why? Concurrent edits can trigger a version check. Reload the page and **Opslaan** again. Too frequent API calls return `LCK_RATE_LIMIT`.

9.3 API-foutcodes (voor beheerders)

`LCK_FORBIDDEN` Not entitled, or the action is Nextcloud-admin only.

`LCK_VALIDATION` Invalid input (e.g. access mode, unknown user, too many app admins).

`LCK_RATE_LIMIT` Too many API calls — wait briefly and retry.

These codes appear in API responses and logs; the web UI usually shows human-readable hints. On repeated `LCK_FORBIDDEN`, check role and badge, not the network.

9.4 Begrippenlijst

Digest Bundled message in the interval chosen under **Hoe vaak?**.

Cursor Internal byte position in the log file for incremental reading.

App admin Person listed under HealthCheck **Personen** (not necessarily a Nextcloud admin).

Channel Delivery path: email, Slack, webhook or in-app notification.

Live log The current file watched for alerts — not older copies.

Danger zone Admin-only area under **Logboeken** for **Nieuw log starten** and **Logbestand verwijderen** (confirmation words required).

Entitlement Server-side grant: Nextcloud admin group or entry under **Personen**.

Check card One of the seven status cards on **Gezondheid** (e.g. HTTPS, Database).

10 Toegankelijkheid

HealthCheck bouwt voort op Nextcloud-chrome en voegt eigen structuur toe voor toetsenbord en schermlezers. Doel: status en acties begrijpelijk houden zonder alleen kleur.

10.1 Structuur en focus

- Skip link **Naar navigatie**; on the access-denied page **Naar hoofdinhoud**.
- Semantic headings (`h1/h2/h3`), landmarks (`nav`, `main`) and visible focus rings on switches, chips and buttons.
- The sidebar groups **Bewaking** and **Instellingen** with descriptive hints per entry.
- Forms under **Meldingen**, **Regels** and **Personen** associate labels with inputs; switches use `role="switch"`.

10.2 Status zonder alleen kleur

Status badges always carry a text label — not colour only:

- Summary: **Alles ziet er goed uit**, **Aandacht nodig**, **Kritiek**, **Onbekend**
- Watching: **Uit**, **Bewaking**, **Bewaken niet mogelijk**, **Controle nodig**

- Check cards mirror the same state text in the card header

Warnings (**Bewaken niet mogelijk**, stuck cron runs, unreadable secrets) appear as callouts with role `status` or `alert`. Live regions announce loading and saving for screen readers.

10.3 Help en feedback

In the sidebar, **Hulp** opens a menu:

- **Probleem melden**,
- **Verbetering voorstellen**,
- optionally **GitHub Issues openen** (new window).

The note under the menu explains that email has no reply SLA; for booked help the UI points to the commercial support path (**Steun ons** / enterprise contact). The **Niet geautoriseerd** page (chapter 1) follows the minimal-shell pattern: clear heading, one warning and exactly one primary action **Terug naar Nextcloud** — without hidden navigation into protected areas.

Over Software by Design

Software by Design ontwikkelt Nextcloud-apps voor organisaties die hun eigen data willen hosten — van tijdregistratie en projecten tot voorraad, wagenpark en klantrelaties. Elke app draait volledig op uw Nextcloud-instance; de webinterfaces zijn gratis (AGPL).

Bedrijf

- **Website:** <https://nextcloud.software-by-design.de/>
- **Partner & offertes:** <mailto:info@software-by-design.de>
- **Bug melden / verbetering voorstellen:** <mailto:dev@software-by-design.de>

Support & bijdragen

HealthCheck blijft gratis op uw Nextcloud (AGPL). Bugrapporten en zinnige ideeën via GitHub of e-mail horen bij open source-onderhoud — zonder gegarandeerde reactietijd.

In de app

Onder **Instellingen** → **Help & support** (navigatiechip kan nog **Support us** tonen) vindt u dezelfde opties als op onze website: partnerofferte, inrichting, feature-opdracht en vrijwillige steun.

Check Partner (factureerbaar)

Heeft uw organisatie planbare hulp met factuur nodig — inrichting, urenpakketten, prioritaire e-mail — kies **Check Partner**. Dat is een dienst met offerte en factuur, geen donatie.

- Pakketten en voorwaarden op de supportpagina: <https://nextcloud.software-by-design.de/nl/support/>
- Partnerofferte aanvragen: <mailto:info@software-by-design.de?subject=Partner-aanvraag>

Overige factureerbare opties

- **Inrichting & training** — remote setup of workshop voor uw team.
- **Feature-opdracht** — afgebakende wijziging met acceptatiecriteria en leverdatum.
- **Officiële mobiele & terminallicenties** — waar aangeboden voor HealthCheck; benoemde seats met factuur.

GitHub Sponsors (vrijwillig)

Vrijwillige steun zonder factuur-SLA — gewaardeerd, maar optioneel:

<https://github.com/sponsors/aSoftwareByDesignRepository>

Juridische opmerking

Deze handleiding vervangt geen juridisch, fiscaal of compliance-advies. Productnamen en merken van derden behoren toe aan hun respectieve eigenaren.

Index

Accessibility, 10
App admin, 1
App admins, 8
Can't watch, 3
Channel, 6, 10
Check again, 3
Check card, 3, 10
Checklist, 2
Cursor, 10
Danger zone, 10
Digest, 7, 10
Donate, 8
Email, 6
Enterprise, 8

Entitlement, 1, 10
Errors, 9
FAQ, 9
Getting started, 2
Glossary, 9
Health, 3
HTTPS, 3
Instance health, 3
Keyboard, 10
Live log, 10
Log file, 4
Logs, 4
Mute, 7

Nextcloud admin, 1
Not authorized, 1
Notifications, 6
People, 8
Re-enable & test, 6
Roles, 1
Rules, 7
Screen reader, 10
Send test & turn on, 6
Severity, 7
Slack, 6
Support us, 8
Watch log file, 2
Webhook, 6